




## VITI TRUCIOLARI E TIRAFONDI



## VITI A LEGNO TESTE ESAGONALE, ZINCATO




## MATERIALI DISPONIBILI

ACCIAIO ZINCATO  
ACCIAIO INOX A2 - 70

d	5	6	7	8	10	12	16
ds max	5,00	6,00	7,00	8,00	10,00	12,00	16,00
s	8,00	10,00	12,00	13,00	17,00	19,00	24,00
e min	8,63	10,89	13,00	14,20	18,72	20,88	26,17
k	3,50	4,00	5,00	5,50	7,00	18,00	10,00

## VITI TRUCIOLARI TESTA PIANA SVASATA POZDRIV, ZINCATE




## MATERIALI DISPONIBILI

ACCIAIO ZINCATO  
ACCIAIO INOX A2 - 70

d	2,5	3	3,5	4	4,5	5	6
dk	5	6	7	8	9	10	12
k	1,4	1,75	2,00	2,30	2,60	2,90	3,50
bit	1	1	2	2	2	3	3

## VITI TRUCIOLARI CON TESTA BOMBATA POZDRIV



## MATERIALI DISPONIBILI

ACCIAIO ZINCATO  
 ACCIAIO INOX A2 - 70

d	2,5	3	3,5	4	4,5	5	6
dK	5	6	7	8	9	10	12
k	1,7	2,10	2,45	2,80	3,10	3,50	4,2
bit	1	1	2	2	2	3	3